

## HAR22H FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points

#### **Fall protection**



#### **Certifications and norms**

(E

EN361 150 KG

### **Specific benefits**



· Specifically designed leg straps providing freedom of movement for long working days

· Bavarian design adapted to the body shape of women and men



· Harnesses and textiles can be washed with neutral soap



· Certification above the maximum rated load of 100 kg: product certified at 150 kg



· Ergonomic design facilitating user movements

· NFC system guarantees traceability

#### **Applications**

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)



enjoy a

Edit 22/07/2024 www.deltaplus.eu



HAR22H FALL ARRESTER HARNESSES

Fall protection

### **Standards - Details**

#### Technical details

Ergonomic harness for maximum freedom of movement with 2 anchorage points

| Type of equipment                          | Fall arrester harness  |  |  |  |  |
|--|--|--|--|--|--|
| Composition of the main support            | Steel, Polyester   |  |  |  |  |
| Fastening                                  | Buckles  |  |  |  |  |
| Number of fall arrest<br>attachment points | 2  |  |  |  |  |
| Buckles                                    | Manual loop  |  |  |  |  |
| Anti-fall point                            | Dorsal, Sternal  |  |  |  |  |
| Color                                      | Black  |  |  |  |  |
| Benefits element                           | Fall indicator   |  |  |  |  |
| Lifespan from manufacturing                | 10 years   |  |  |  |  |
| Weight                                     | 1,2 kg   |  |  |  |  |
| Number of manual buckles                   | 5  |  |  |  |  |
| Sternal                                    | 1  |  |  |  |  |
| Dorsal                                     | 1  |  |  |  |  |
| Fall arrest work situations                | Vertical movement on a permanent<br>structure, Movement on lifeline,<br>Long vertical movement or<br>movement on inclined surface,<br>Short vertical movement or<br>movement on inclined surface (less<br>than 3 m), Vertical movement,<br>confined space, Long horizontal<br>movement on horizontal surface,<br>Long horizontal movement on<br>vertical structure, Short horizontal<br>movement (less than 3 m), Long<br>movement with multi connection<br>/disconnection |  |  |  |  |



enjoy sa

Edit 22/07/2024 www.deltaplus.eu



# HAR22H

#### FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 2 anchorage points

Fall protection

| I oaistics | information |
|------------|-------------|
| LUGISTICS  | mormation   |

| Reference | Colour | Size   | Designation | EAN13         | Box code       | Multiple<br>sales | Minimum<br>sales | Weight  |
|-----------|--------|--------|-------------|---------------|----------------|-------------------|------------------|---------|
| HAR22HGT  | Black  | S/M/L  | HAR22H      | 3295249237455 | 13295249237452 | 5                 | 1                | 7.06 kg |
| HAR22HXX  | Black  | XL/XXL | HAR22H      | 3295249237462 | 13295249237469 | 5                 | 1                | 7.26 kg |



enjoy sa

27/08/2024 www.deltaplus.eu