



Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts



Specific benefits



Hygiene

- Harnesses and textiles can be washed with neutral soap



Performance

- Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

- Ergonomic design facilitating user movements
- NFC system guarantees traceability

Certifications and norms



EN361

150 KG

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive



Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESES

The lightest innovative harness on the market with no metal parts

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Plastic, Polyester
Fastening	Buckles
Number of fall arrest attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Black
SIZE	S/M/L
Comfort elements	Plastic back brace
Benefits element	Comfort
Lifespan from manufacturing	10 years
Weight	0,580 kg
Number of manual buckles	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
HAR22XGT	Black	S/M/L	X-TREM LIGHT HAR22X	3295249285715	13295249285712	5	1	4.0 kg
HAR22XXX	Black	XL/XXL	X-TREM LIGHT HAR22X	3295249286156	13295249286153	5	1	4.1 kg